MEMORANDUM

April 26, 2005

TO:	THE LOS ANGELES COUNTY CLAIMS BOARD		
FROM:	GREGORY HOULE Houle and Houle		
	ROGER H. GRANBO Principal Deputy County Counsel General Litigation Division		
RE:	Juanito Holandez v. County of Los Angeles Compton Superior Court Case No. 04C00759		
DATE OF INCIDENT:	January 28, 2003		
AUTHORITY REQUESTED:	\$25,000		
COUNTY DEPARTMENT:	Department of Public Works		
CLAIMS BOARD ACTION:			
Approve	Disapprove Recommend to Board of Supervisors for Approval		
ROCKY A. ARMFIELD, Chief Administrative Office			
JOHN F. KRATTLI Auditor-Controller			
MARIA M. OMS			
on was	, 2005		

SUMMARY

This is a recommendation to settle for \$25,000, a lawsuit for dangerous condition of public property, filed by Juanito Holandez, whose home was damaged by sewage that flowed into his home from a sewer line maintained by the County.

LEGAL PRINCIPLES

A public entity is liable for injuries caused by a dangerous condition of its property if the property was in a dangerous condition at the time of the injury, the injury was caused by the dangerous condition, the dangerous condition created a foreseeable risk of the type of injury that was suffered, and the public entity had actual or constructive notice of the dangerous condition.

A public entity is liable under the law of inverse condemnation for damage caused to property, when the damage was caused by a public improvement as deliberately designed, and constructed by the public entity, whether or not the damage was foreseeable. Inverse condemnation liability can be based on an improper maintenance plan of the public entity. A prevailing plaintiff in an inverse condemnation action is entitled to an award of reasonable attorney fees.

SUMMARY OF FACTS

On January 10, 2003, a County maintained sewer line in Torrance backed up into the lateral sewer line of Juanito Holandez. Raw sewage flooded into his bathroom, and spread throughout the home. The County maintained sewer line had become clogged by a large stick and some debris, which caused the sewage to travel into Mr. Holandez's lateral sewer line.

The flooding caused moderate damage to the floors, carpeting, walls, and to personal belongings.

The County had a sewer maintenance plan in place in the neighborhood that consisted of semi-annual visual inspections of the sewer line. The sewer line had been inspected on October 2, 2002, three months prior to the incident, and no stoppages in the sewer line were seen.

DAMAGES

Should this matter proceed to trial, we estimate the potential damages could be as follows:

Damage to personal property	\$	56,000
Damage to real property	\$	14,000
Relocation costs		5,250
Emotional distress	\$	25,000
Attorney fees and costs	\$	25,000
Total	<u>\$</u>	125,250

The proposed settlement calls for the County to pay Mr. Holandez \$25,000 for all of his claims for damages, costs, and attorney fees.

STATUS OF CASE

The trial court proceedings have been suspended pending consideration of the proposed settlement.

Expenses incurred by the County in defense of this action are attorney fees of \$1,060 and \$162 in costs.

EVALUATION

This is a case of disputed liability. The dangerous condition allegation does not pose a threat of liability, as the County did not have actual or constructive notice of the tree roots in the sewer line. However, a jury could find that the County's sewer maintenance plan was defective because the visual inspections were not sufficient to detect or prevent tree roots in the sewer line. If the jury finds the plan was defective, the County could be liable under an inverse condemnation cause of action.

A reasonable settlement at this time will avoid further litigation costs, and a jury verdict, along with attorney fees, that could exceed the proposed settlement.

We join with our private counsel, Gregory Houle, and our third party administrator, Carl Warren and Company, in recommending a settlement of this matter in the amount of \$25,000. The Department of Public Works concurs in the recommendation.

APPROVED:

Assistant County Counsel
General Litigation Division

RHG:scr